

SENSITIVITY PATCH TEST

Important note: The sensitivity patch test must be completed no less than 24 hours before your permanent cosmetics procedure. If you do not comply with these instructions your appointment may be rescheduled or cancelled.

Please read these instructions and perform the sensitivity patch test as instructed. If you experience a reaction, contact your permanent cosmetics technician immediately. If not, sign below and take the completed form to your appointment. If you have any questions, please contact your technician.

1. Place the pigment sample on one of the plasters provided in this envelope. (If the pigment has dehydrated, add a drop of water.)
2. Place the topical anaesthetic on the other plaster provided.

Please note that the correct colour will be mixed for you at your first treatment. The colour enclosed is for patch test purposes only.

I have read and fully understood the above information. I have completed the sensitivity patch test as instructed and I have experienced **no reaction / a reaction** (delete as required):

3. Position each plaster on one of the following areas:

- Behind each ear.
- On top of the arm.
- On the thigh.
- On the buttock.
- Do not place in the crease of the elbow or the knee.

4. After 24 hours, remove the plasters and examine the skin. If there is no reaction, i.e. no redness, swelling, irritation or itching, then it is safe to proceed with the treatment.
5. Should you experience any of the symptoms mentioned, immediately remove the plaster and flush the area with cold water. Then call your technician to discuss your options.

Client name	Signature	Date
Technician name	Signature	Date